EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	28172968	@ad<"20040225"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/05 12:40
L2	941	policy with configuration with resource	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/05 12:41
L3	104	policy with configuration with resource with request\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/05 12:41
L4	26	1 and 3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/05 12:41
L5	24	1 and 3 and server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/05 12:41
L6	24	1 and 3 and server and 2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/05 12:43
L7	24	1 and 3 and server and 2 and (request\$4 with resource)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/05 12:44
L8	8	1 and 3 and server and 2 and (request\$4 with server with resource)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/05 12:49

S1	3871298	(@ad<"20040225" or @rlad<"20040225")	USPAT	OR	OFF	2008/02/26 16:18
S2	2358	S1 and 709/229.ccls.	USPAT	OR	OFF	2008/02/26 16:18
S3	10034	(client same configuration)	USPAT	OR	OFF	2008/02/26 16:21
S4	153341	(policy or rule)	USPAT	OR	OFF	2008/02/26 16:21
S5	758484	(access or restrict)	USPAT	OR	OFF	2008/02/26 16:22
S6	9750	S1 and S3	USPAT	OR	OFF	2008/02/26 16:23
S7	2721	S6 and S4	USPAT	OR	OFF	2008/02/26 16:23
S8	2579	S7 and S5	USPAT	OR	OFF	2008/02/26 16:23
S9	110	S8 and (determine with configuration with client)	USPAT	OR	OFF	2008/02/26 16:24
S10	9	S9 and (policy with configuration)	USPAT	OR	OFF	2008/02/26 16:25
S11	0	S1 and (policy same "configuration of a client")	USPAT	OR	OFF	2008/02/26 16:28
S12	6	S1 and (policy same "client configuration")	USPAT	OR	OFF	2008/02/26 16:28
S13	0	S1 and (policy adj2 "based on")	USPAT	OR	OFF	2008/02/26 16:33
S14	91	S1 and (policy adj2 "based upon")	USPAT	OR	OFF	2008/02/26 16:34
S15	78	S1 and (policy adj2 "based upon") and (access or restrict)	USPAT	OR	OFF	2008/02/26 16:34
S16	61	S1 and (policy adj2 "based upon") and (access or restrict) and (configuration or security)	USPAT	OR	OFF	2008/02/26 16:35
S17	41	S1 and (policy adj2 "based upon") and ((access or restrict) same(configuration or security))	USPAT	OR	OFF	2008/02/26 16:35
S18	11	S1 and (policy adj2 "based upon") and ((access or restrict) same(configuration or security)) and request and download	USPAT	OR	OFF	2008/02/26 16:47
S19	80	S1 and (policy same "based upon") and ((access or restrict) same(configuration or security)) and request and download	USPAT	OR	OFF	2008/02/26 16:53

S20	124	S1 and ((policy same firewall) same (configuration or security)) and request and download	USPAT	OR	OFF	2008/02/26 17:30
S21	9	S19 and S20	USPAT	OR	OFF	2008/02/26 17:31
S22	133	S1 and (((policy or policies) same firewall) same (configuration or security)) and request and download	USPAT	OR	OFF	2008/02/26 18:14
S23	97	S1 and ((policy or policies) same "based upon") and ((access or restrict) same (configuration or security)) and request and download	USPAT	OR	OFF	2008/02/26 18:16
S24	11	S22 and S23	USPAT	OR	OFF	2008/02/26 18:16
S25	2	S1 and ((restrict or prevent or stop or inhibit or block) same (firewall near3 download))	USPAT	OR	OFF	2008/02/26 20:03
S26	17	S1 and ((restrict or prevent or stop or inhibit or block) same (firewall same download))	USPAT	OR	OFF	2008/02/26 20:05
S27	4110	S1 and ((restrict or prevent or stop or inhibit or block) same (upload or download))	USPAT	OR	OFF	2008/02/26 20:20
S28	280	S1 and ((restrict or prevent or stop or inhibit or block) same (upload or download)) and firewall	USPAT	OR	OFF	2008/02/26 20:20
S29	130	S1 and ((restrict or prevent or stop or inhibit or block) same (upload or download)) and firewall and "709"/.ccls.	USPAT	OR	OFF	2008/02/26 20:20
S30	15	S1 and ((restrict or prevent or stop or inhibit or block) near3 (upload or download)) and firewall and "709"/.ccls.	USPAT	OR	OFF	2008/02/26 20:20
S31	446	S1 and ((restrict or prevent or stop or inhibit or block) near3 (access)) and firewall and "709"/.ccls.	USPAT	OR	OFF	2008/02/26 20:23
S32	353	S1 and ((restrict or prevent or stop or inhibit) near3 (access)) and firewall and "709"/.ccls.	USPAT	OR	OFF	2008/02/26 20:23
S33	84	S1 and ((restrict or prevent or stop or inhibit) near3 (access)) and firewall and 709/229.ccls.	USPAT	OR	OFF	2008/02/26 20:24
S34	74	S1 and ((restrict or prevent or stop or inhibit) near3 (access)) and firewall and 709/229.ccls. and security	USPAT	OR	OFF	2008/02/26 20:24

S35	47	S1 and ((restrict or prevent or stop or inhibit) near3 (access)) and firewall and 709/229.ccls. and (policy or policies)	USPAT	OR	OFF	2008/02/26 20:25
S36	6	S1 and "dynamic policy" and security and firewall	USPAT	OR	OFF	2008/02/26 20:30
S37	2	S1 and "virtual sandbox"	USPAT	OR	OFF	2008/02/26 20:54
S38	373	S1 and (intercept near4 communication)	USPAT	OR	OFF	2008/02/26 21:07
S39	6	S2 and (intercept near4 communication)	USPAT	OR	OFF	2008/02/26 21:08
S40	1660	S1 and (intercept near4 (data or communication))	USPAT	OR	OFF	2008/02/26 21:35
S41	0	S1 and (inhibit adj4 "file save")	USPAT	OR	OFF	2008/02/26 21:36
S42	0	S1 and (inhibit same "file save")	USPAT	OR	OFF	2008/02/26 21:36
S43	0	S1 and (inhibit adj5 (file near2 save))	USPAT	OR	OFF	2008/02/26 21:37
S44	0	S1 and ((inhibit or prevent) adj5 (file near2 save))	USPAT	OR	OFF	2008/02/26 21:37
S45	1	S1 and ((inhibit or prevent) adj5 (file near4 save))	USPAT	OR	OFF	2008/02/26 21:37
S46	8	S1 and ((inhibit or prevent) adj5 (file near4 (save or print)))	USPAT	OR	OFF	2008/02/26 21:38
S47	0	S46 and S40	USPAT	OR	OFF	2008/02/26 21:39
S48	20	S40 and ((save or print or launch or redirect) near3 file)	USPAT	OR	OFF	2008/02/26 21:42
S49	3	S40 and (intercept same ((save or print or launch or redirect) near3 file))	USPAT	OR	OFF	2008/02/26 21:47
S50	60	S40 and (intercept same (save or print or launch or redirect))	USPAT	OR	OFF	2008/02/26 21:54
S51	163	S40 and download	USPAT	OR	OFF	2008/02/26 22:07
S52	8	S40 and (download same intercept)	USPAT	OR	OFF	2008/02/26 22:08
S53	3871298	(@ad<"20040225" or @rlad<"20040225")	USPAT	OR	OFF	2008/02/26 23:12
S54	3871298	S53	USPAT	OR	OFF	2008/02/26 23:12
S55	41	S53 and (determine adj3 configuration near7 client)	USPAT	OR	OFF	2008/02/26 23:13
S56	15	S53 and (determine adj3 configuration near7 client) and connect	USPAT	OR	OFF	2008/02/26 23:26

S57	3871298	(@ad<"20040225" or @rlad<"20040225")	USPAT	OR	OFF	2008/02/27 18:02
S58	0	S57 and "level of trust"	USPAT	OR	OFF	2008/02/27 18:02
S59	121	S57 and "trust level"	USPAT	OR	OFF	2008/02/27 18:02
S60	0	S57 and ((determine adj4 characteristic) same "security application")	USPAT	OR	OFF	2008/02/27 18:14
S61	13	S57 and ((determine adj4 characteristic) same security)	USPAT	OR	OFF	2008/02/27 18:14
S62	0	S57 and ((determine adj4 presence) same hacker)	USPAT	OR	OFF	2008/02/27 18:23
S63	0	S57 and (hacker-tool)	USPAT	OR	OFF	2008/02/27 18:24
S64	0	S57 and ("hacker-tool")	USPAT	OR	OFF	2008/02/27 18:24
S65	5	S57 and ("hacker tool")	USPAT	OR	OFF	2008/02/27 18:24
S66	4	S57 and (((prevent or block or inhibit) adj3 download) adj4 client)	USPAT	OR	OFF	2008/02/27 18:41
S67	2	S57 and ((firewall same download) adj4 client)	USPAT	OR	OFF	2008/02/27 18:44
S68	51	S57 and ((firewall same download) same client)	USPAT	OR	OFF	2008/02/27 18:53
S69	5	S57 and ((prevent adj2 download) and client)	USPAT	OR	OFF	2008/02/27 18:55
S70	146	S57 and ((determine adj5 configuration) same "operating system")	USPAT	OR	OFF	2008/02/27 19:16
S71	109	S57 and ((determine adj3 configuration) same "operating system")	USPAT	OR	OFF	2008/02/27 19:16
S72	5	S57 and ((determine adj2 configuration) adj6 "operating system")	USPAT	OR	OFF	2008/02/27 19:16
S73	81	S57 and ((determine adj2 configuration) same "operating system")	USPAT	OR	OFF	2008/02/27 19:22
S74	0	S57 and ((determine adj2 level) same "security software")	USPAT	OR	OFF	2008/02/27 19:37
S75	189	S57 and ((determine adj2 level) same security)	USPAT	OR	OFF	2008/02/27 19:37
S76	70	S57 and ((determine adj2 "security level"))	USPAT	OR	OFF	2008/02/27 19:38
S77	0	S57 and ((determine adj2 "security level") adj5 software)	USPAT	OR	OFF	2008/02/27 19:49

S79	3	S57 and ((determine adj2 "security level") same software)	USPAT	OR	OFF	2008/02/27 19:49
S80	1	S57 and ((determine adj2 (connector or adapter or adapter)) same access same resource)	USPAT	OR	OFF	2008/02/27 19:54
S81	64	S57 and ((determine adj5 (connector or adapter or adapter)) same access)	USPAT	OR	OFF	2008/02/27 19:58
S82	2	S57 and ((determine adj5 (connector or adapter or adapter)) same access same resource)	USPAT	OR	OFF	2008/02/27 19:58
S83	2	S57 and (terminate same client same ((delete adj2 cache) or (delete adj2 temporary) or (enabling adj2 "disabled system command")))	USPAT	OR	OFF	2008/02/27 20:26
S84	0	S57 and (((terminate or end or sever) adj5 communication) same ((delete adj2 cache) or (delete adj2 temporary) or (enabling adj2 "disabled system command")))	USPAT	OR	OFF	2008/02/27 20:29
S85	0	S57 and (((terminate or end or sever) same communication) same ((delete adj2 cache) or (delete adj2 temporary) or (enabling adj2 "disabled system command")))	USPAT	OR	OFF	2008/02/27 20:29
S86	15	S57 and (((terminate or end or sever) same communication) and ((delete adj2 cache) or (delete adj2 temporary) or (enabling adj2 "disabled system command")))	USPAT	OR	OFF	2008/02/27 20:30
S87	22	S57 and (client same ((delete adj2 cache) or (delete adj2 temporary) or (enabling adj2 "disabled system command")))	USPAT	OR	OFF	2008/02/27 20:33
S88	1	"6766407".pn.	USPAT	OR	OFF	2008/02/28 20:48
S89	1	"6684253".pn.	USPAT	OR	OFF	2008/02/28 21:12
S90	1	"7337174".pn.	USPAT	OR	OFF	2008/02/28 21:49
S91	3874328	(@ad<"20040225" or @rlad<"20040225")	USPAT	OR	OFF	2008/03/17 12:36

S92	16347	S91 and request and client and resource	USPAT	OR	OFF	2008/03/17 12:36
S93	1236	client with request with resource	USPAT	OR	OFF	2008/03/17 12:37
S94	3130	determine same (configuration or type or contents or makeup or style) same client	USPAT	OR	OFF	2008/03/17 12:39
S95	204	S93 and S94	USPAT	OR	OFF	2008/03/17 12:39
S96	274	(restrict or inhibit or prevent or partial) with access with resource	USPAT	OR	OFF	2008/03/17 12:40
S97	6	S94 and S95 and S96	USPAT	OR	OFF	2008/03/17 12:40
S98	3235	(determine or analyze) same (configuration or type or contents or makeup or style) same client	USPAT	OR	OFF	2008/03/17 12:42
S99	9	S98 and S96	USPAT	OR	OFF	2008/03/17 12:43
S100	6	S98 and S96 and S93	USPAT	OR	OFF	2008/03/17 12:46
S101	1	"6766407".pn.	USPAT	OR	OFF	2008/03/17 21:44
S102	2025	(determin\$5 analy\$5 inspect \$4) with client with configuration	US-PGPUB; USPAT	OR	OFF	2008/11/23 18:34
S103	4436	download\$4 with (agent\$4 spy \$4 snoop\$4 inspect\$4)	US-PGPUB; USPAT	OR	OFF	2008/11/23 18:36
S104	18	S102 same S103	US-PGPUB; USPAT	OR	OFF	2008/11/23 18:36
S105	12519	(determin\$5 analy\$5 inspect \$4) with (user client) with configuration	US-PGPUB; USPAT	OR	ON	2008/11/23 18:38
S106	15481	download\$4 with (agent\$4 spy \$4 snoop\$4 inspect\$4 module)	US-PGPUB; USPAT	OR	OFF	2008/11/23 18:38
S107	65	S105 same S106	US-PGPUB; USPAT	OR	OFF	2008/11/23 18:38
S108	3921650	(@ad<"20040225" or @rlad<"20040225")	USPAT	OR	OFF	2008/11/23 18:38
S109	3921650	S108	US-PGPUB; USPAT	OR	OFF	2008/11/23 18:38
S110	14	S109 and S107	US-PGPUB; USPAT	OR	OFF	2008/11/23 18:38
S111	0	S110 and kiosk	US-PGPUB; USPAT	OR	OFF	2008/11/23 18:46
S112	281	(determin\$5 analy\$5 inspect \$4) with (user client) with kiosk	US-PGPUB; USPAT	OR	ON	2008/11/23 18:46

S113	67	S108 and S112	US-PGPUB; USPAT	OR	ON	2008/11/23 18:46
S114	3898	(determin\$5) with (user client) with (configuration type) with (kiosk personal computer laptop mobile)	US-PGPUB; USPAT	OR	ON	2008/11/23 19:17
S115	1299	(determin\$5) with (user client) with (configuration type) with (kiosk personal laptop mobile)	US-PGPUB; USPAT	OR	ON	2008/11/23 19:17
S116	0	(determin\$5) with (user client) with (configuration type) with (kiosk and personal and laptop and mobile)	US-PGPUB; USPAT	OR	ON	2008/11/23 19:18
S117	381	(determin\$5) with (user client) with (configuration type) and (kiosk and personal and laptop and mobile)	US-PGPUB; USPAT	OR	ON	2008/11/23 19:18
S118	381	((determin\$5) with (user client) with (configuration type)) and (kiosk and personal and laptop and mobile)	US-PGPUB; USPAT	OR	ON	2008/11/23 19:19
S119	0	((determin\$5) with (user client) with (configuration type)) same (kiosk and personal and laptop and mobile)	US-PGPUB; USPAT	OR	ON	2008/11/23 19:19
S120	50	S118 and S108	US-PGPUB; USPAT	OR	ON	2008/11/23 19:19
S121	1397	((determin\$5) with (user client)) and (kiosk and personal and laptop and mobile)	US-PGPUB; USPAT	OR	ON	2008/11/23 19:20
S122	5	((determin\$5) with (user client)) same (kiosk and personal and laptop and mobile)	US-PGPUB; USPAT	OR	ON	2008/11/23 19:20
S123	0	"virtual sandbox" same security same enabl\$4 same disabl\$4	US-PGPUB; USPAT	OR	ON	2008/11/24 11:14
S124	0	"virtual sandbox" same enabl \$4 same disabl\$4	US-PGPUB; USPAT	OR	ON	2008/11/24 11:14
S125	12	"virtual sandbox"	US-PGPUB; USPAT	OR	ON	2008/11/24 11:15
S126	950	(determin\$4 whether) with (security anti-virus antivirus hacker) with (enabled active)	US-PGPUB; USPAT	OR	OFF	2009/04/16 14:20
S128	51	S126 with client	US-PGPUB; USPAT	OR	OFF	2009/04/16 14:21
S129	3851667	@ad<"20040225"	USPAT	OR	OFF	2009/04/16 14:21
S130	12	S128 and S129	USPAT	OR	OFF	2009/04/16 14:21

S131	6	"hacker tool"	USPAT	OR	OFF	2009/04/16 14:27
S132	0	S126 and S131	USPAT	OR	OFF	2009/04/16 14:27
S133	289	S126 and S129	USPAT	OR	OFF	2009/04/16 14:27
S134	6	S129 and S131	USPAT	OR	OFF	2009/04/16 14:29
S135	11	S133 and (hacker "virtual sandbox")	US-PGPUB; USPAT	OR	OFF	2009/04/16 14:31
S143	184	(antivirus anti-virus) with client with (detect\$4 determin \$6)	US-PGPUB; USPAT	OR	OFF	2009/04/16 15:36
S144	6	(antivirus anti-virus) with client with (detect\$4 determin \$6) with (enabled active)	US-PGPUB; USPAT	OR	OFF	2009/04/16 15:36
S145	1	S144 and S129	US-PGPUB; USPAT	OR	OFF	2009/04/16 15:36
S146	387	"network sniffer" "screen scraper" "password cracker"	US-PGPUB; USPAT	OR	OFF	2009/04/24 21:47
S147	4786390	@ad<"20040525"	US-PGPUB; USPAT	OR	OFF	2009/04/24 21:51
S148	252	S146 and S147	US-PGPUB; USPAT	OR	OFF	2009/04/24 21:51
S149	21	download with client with (survey\$4 inspect\$4 audit\$4 detect\$4) with (list configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 21:55
S150	0	S148 and S149	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 21:56
S151	11	S147 and S149	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 21:56
S152	83	download\$4 with client with (survey\$4 inspect\$4 audit\$4 detect\$4) with (list configuration report\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 22:03
S153	45	S147 and S152	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 22:03

S154	57	client with (survey\$4 inspect \$4 audit\$4 detect\$4 determin \$6) with (security anti-virus filter) with active	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 22:42
S155	32	S154 and S147	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 22:42
S156	0	S146 and S155	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 22:42
S157	246433	download\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 22:46
S158	11	S155 and S157	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 22:46
S159	0	"whether to download" with client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 23:00
S160	0	"whether to download"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 23:00
S161	0	download\$4 with "only if"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 23:02
S162	0	download\$4 with "whether to"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 23:02

S163	0	download\$4 with "based on"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 23:02
S164	246433	download\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 23:03
S165	22347	download\$4 with based	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 23:03
S166	2038	download\$4 with "based upon"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 23:03
S167	117	download\$4 with "based upon" with whether	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 23:03
S168	117	download\$4 with "based upon" with whether with whether	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 23:04
S169	11	download\$4 with "based upon" with whether with client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 23:04
S170	11	S147 and S169	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 23:04
S171	2337	determin\$4 with whether with (respond\$4 grant\$4 download \$4 send\$ fill\$4) with (user client) with request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 23:10

S172	30		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 23:11
S173	9	S147 and S172	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 23:12
S174	31	(respond\$4 grant\$4 download	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/25 00:06
S175	37	with (user client) with request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/25 00:35
S176	12	S175 and S147	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/25 00:36
S177	112	(decide determin\$4) with (respond\$4 grant\$4 download \$4 send\$ fill\$4) with (user client) with request with based with (configuration presence security trust trustworthiness)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/25 00:37
S178	47	S177 and S147	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/25 00:37
S179	9	scraper sniffer cracker filter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/25 00:47
S180	4	S179 and S147	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/25 00:48

S181	3	S146 with active	US-PGPUB;	OR	ON	2009/04/25
			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			00:53
S182	0	S146 with enabled	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/25 00:53
S183	3	S181 and S147	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/25 00:53
S184	31	deny with client with request with (security firewall filter spam anti-virus)	US-PGPUB; USPAT	OR	OFF	2009/04/25 02:23
S185	12	S147 and S176	US-PGPUB; USPAT	OR	OFF	2009/04/25 02:23
S186	17	S147 and S184	US-PGPUB; USPAT	OR	OFF	2009/04/25 02:23
S187	1545	(filter firewall security) with active with determin\$4	US-PGPUB; USPAT	OR	OFF	2009/04/25 04:00
S188	181	(filter firewall security) with active with (detect\$4 determin \$4) with (client user)	US-PGPUB; USPAT	OR	OFF	2009/04/25 04:00
S189	387	"network sniffer" "screen scraper" "password cracker"	US-PGPUB; USPAT	OR	OFF	2009/04/25 04:01
S190	4786390	@ad<"20040525"	US-PGPUB; USPAT	OR	OFF	2009/04/25 04:01
S191	252	S189 and S190	US-PGPUB; USPAT	OR	OFF	2009/04/25 04:01
S192	0	S191 and S188	US-PGPUB; USPAT	OR	OFF	2009/04/25 04:01
S193	100	S188 and S190	US-PGPUB; USPAT	OR	OFF	2009/04/25 04:01
S194	0	(restrict\$4 deny) with S188	US-PGPUB; USPAT	OR	OFF	2009/04/25 04:02
S195	2723	(restrict\$4 deny) with (client user) with request	US-PGPUB; USPAT	OR	OFF	2009/04/25 04:03
S196	4	S193 and S195	US-PGPUB; USPAT	OR	OFF	2009/04/25 04:03
S197	1296	(determin\$4 assess\$4 establish\$4 defin\$4) with (client user) with trust	US-PGPUB; USPAT	OR	OFF	2009/04/28 12:51
S198	535708	"based upon" "based on"	US-PGPUB; USPAT	OR	OFF	2009/04/28 12:52
S199	28	S197 with S198	US-PGPUB; USPAT	OR	OFF	2009/04/28 12:52

S200	6810506	(security firewall filter active anti-virus antivirus scan\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 12:53
S201	2363734	(security firewall filter active anti-virus antivirus scan\$4) with (active enabled)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 12:53
S202	0	S199 with S201	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 12:53
S203	0	S199 same S201	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 12:53
S204	285	(security firewall filter active anti-virus antivirus scan\$4) with (active enabled) with trust	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 12:54
S205	45	(security firewall filter active anti-virus antivirus scan\$4) with (active enabled) with trust with level	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 12:54
S206	12	(security firewall filter active anti-virus antivirus scan\$4) with (active enabled) with trust with level with (user client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 12:54
S207	3852760	@ad<"20040225"	USPAT	OR	OFF	2009/04/28 12:54
S208	4	S206 and S207	USPAT	OR	OFF	2009/04/28 12:54
S209	9	S205 and S207	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 12:56
S210	2736	(determin\$4 assess\$4 establish\$4) with (security filter firewall scraper sandbox) with (enabled active)	US-PGPUB; USPAT	OR	OFF	2009/04/28 12:59

S211	10	(determin\$4 assess\$4 establish\$4) with (security filter firewall scraper sandbox) with (enabled active) with trust	US-PGPUB; USPAT	OR	OFF	2009/04/28 12:59
S212	1	S211 and S207	US-PGPUB; USPAT	OR	OFF	2009/04/28 12:59
S213	791	(determin\$4 assess\$4 establish\$4) with (security filter firewall scraper sandbox) with trust	US-PGPUB; USPAT	OR	OFF	2009/04/28 13:05
S214	160	(determin\$4 assess\$4 establish\$4) with (security filter firewall scraper sandbox) with trust with (client user)	US-PGPUB; USPAT	OR	OFF	2009/04/28 13:05
S215	15090	(client user) with request with resource	US-PGPUB; USPAT	OR	ON	2009/04/28 13:06
S216	41	S214 and S215	US-PGPUB; USPAT	OR	ON	2009/04/28 13:06
S217	12	S216 and S207	US-PGPUB; USPAT	OR	ON	2009/04/28 13:06
S218	2350477	(security firewall filter active anti-virus antivirus scan\$4) with active	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 19:36
S219	20701	(security firewall filter active anti-virus antivirus scan\$4) with active with determin\$4 with whether	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 19:37
S220	1604	(security firewall filter active anti-virus antivirus scan\$4) with active with determin\$4 with whether with (user client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 19:37
S221	15090	(client user) with request with resource	US-PGPUB; USPAT	OR	ON	2009/04/28 19:38
S222	133	S220 and S221	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 19:38
S223	3852760	@ad<"20040225"	USPAT	OR	OFF	2009/04/28 19:38
S224	62	S220 and S221 and S223	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 19:38

S225	1128	whether with (client user device) with (active activated activation enabl\$4) with (firewall security filter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 20:12
S226	364	determin\$4 with whether with (client user device) with (active activated activation enabl\$4) with (firewall security filter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 20:13
S227	17	S226 with firewall	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 20:14
S228	101	S226 and S223	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 20:14
S229	17	S228 and firewall	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 20:14
S230	68	S228 and security	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 20:14
S231	59	S228 and filter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 20:14
S232	3	S231 and spam	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 20:14
S233	101	S229 S230 S231 S232	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 20:14

S234	107716	client with request\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 20:15
S235	25	S233 and S234	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 20:15
S236	68	S230 and S223	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 20:17
S237	388	"network sniffer" "screen scraper" "password cracker"	US-PGPUB; USPAT	OR	OFF	2009/04/28 20:44
S238	0	S237 and S236	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 20:44
S239	157	S237 and S223	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 20:44
S240	4	S237 with (active activated)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 20:46
S241	2	S240 and S223	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 20:46
S242	3867464	@ad< "20040225"	USPAT	OR	OFF	2009/12/29 17:00
S243	434	"network sniffer" "screen scraper" "password cracker"	US-PGPUB; USPAT	OR	OFF	2009/12/29 17:02
S244	22662	(detect\$4 determin\$5) with (security anti-virus antivirus filter spam firewall S243) with (client user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 17:02

S245	11353	S244 and "client's"	US-PGPUB; USPAT; USOCR; FPRS; EPO;	OR	ON	2009/12/29 17:02
			JPO; DERWENT; IBM_TDB	,		
S246	4367	S244 with "client's"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 17:02
S247	791	S242 and S246	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 17:03
S248	28151087	@ad< "20040225"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 17:04
S249	1687	S246 and S248	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 17:04
S250	4753	("client's") adj2 (security antivirus antivirus filter spam firewall S243)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 17:05
S251	3842	("client's") adj2 (security anti- virus antivirus spam firewall S243)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 17:05
S252	194	("client's") adj2 (security antivirus antivirus spam firewall S243) adj3 software	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 17:06
S253	0	S252 with (enabled disabled)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 17:06

S254	194	S251 and S252	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 17:06
S255	2	(checks detects determines) adj2 ("client's") adj2 (security anti-virus antivirus spam firewall S243) adj3 software	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 17:08
S256	0	S255 and S248	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 17:08
S257	44	(checks detects determines) adj2 ("client's") adj2 (security anti-virus antivirus spam firewall S243)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 17:08
S258	18	S257 and S248	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 17:08
S259	28162608	@ad<"20040225"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/28 12:55
S260	789	server with (reduce\$4 restrict \$4 adjust\$4 increas\$4 modif \$4 determin\$4) with (access \$4 communication\$4 VPN) with (client mobile user wireless cellular) with policy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/28 12:58
S261	253	server with (reduce\$4 restrict \$4 adjust\$4 increas\$4 modif \$4) with (access\$4 communication\$4 VPN) with (client mobile user wireless cellular) with policy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/28 12:58
S262	18	server with (reduce\$4 restrict \$4 adjust\$4 increas\$4 modif \$4) with (access\$4 communication\$4 VPN) with (client mobile user wireless cellular) with policy with configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/28 12:59

S263	10	S259 and S262	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/28 12:59
S265	13	server with (reduce\$4 restrict \$4 adjust\$4 increas\$4 modif \$4) with (access\$4 communication\$4 VPN) with (client mobile user wireless cellular) with ((policy with configuration)(security with level))	USPAT	OR	OFF	2010/04/28 13:27
S266	102	server with (reduce\$4 restrict \$4 adjust\$4 increas\$4 modif \$4) with (access\$4 communication\$4 VPN) with (client mobile user wireless cellular) with ((policy with configuration)(security with level))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/28 13:27
S267	3873832	@ad<"20040225"	USPAT	OR	OFF	2010/04/28 13:27
S268	16	S267 and S266	USPAT	OR	OFF	2010/04/28 13:27
S269	28162608	@ad<"20040225"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/28 13:31
S270	40	S266 and S269	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/28 13:32

EAST Search History (Interference)

< This search history is empty>

10/5/2010 2:25:10 PM

C:\ Documents and Settings\ rkeehn\ My Documents\ EAST\ Workspaces\ 10786862.wsp